

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(trust\$3 platform module or tpm) same (master key or key or code ) same (digest hash\$3) same ((PCR or platform configurat \$3 regist\$3) near8 (value or data or state or identificat\$3 or key id) or premaster key or pass code or pass phrase or password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 11:50
L2	4989	(trust\$3 platform module or tpm) same (master key or key or code ) same (digest hash\$3) same ((PCR or platform configurat \$3 regist\$3) near8 (value or data or state or identificat\$3 or key id) or premaster key or pass code or pass phrase or password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:50
L3	480	(trust\$3 platform module or tpm) same (master key or key or code ) same (digest hash\$3) same ((PCR or platform configurat \$3 regist\$3) near8 (value or data or state or identificat\$3 or key id) or premaster key or pass code or pass phrase or password). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:50

L4	6	((trust\$3 platform module or tpm) same (master key or key or code ) same (digest hash\$3) same ((PCR or platform configurat \$3 regist\$3) near8 (value or data or state or identificat\$3 or key id) or premaster key or pass code or pass phrase or password) same bind\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:52
L5	11868	713/155 713/168 713/169 713/170 380/28 380/44 380/255 380/259	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 12:26
L6	103	3 and 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 12:27
L7	2	(generat\$3 or creat\$3 or Obtain\$3 or produc \$3) same master near4 (key or secret or code or pin or value) same (hash\$3 or one way digest) same (platform near10(key or value or configurat\$3 or state or data or log or regist \$3) and (premaster or pre master) near5 (key or code or secret or pin or value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 13:09
L8	1	(generat\$3 or creat\$3 or Obtain\$3 or produc \$3) same master near4 (key or secret or code or pin or value) same (hash\$3 or one way digest) same (platform near10(key or value or configurat\$3 or state or data or log or regist \$3) and (premaster or pre master) near5 (key or code or secret or pin or value)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 13:10

L9	2	master near4(key or secret or code or pin or value) same (hash \$3 or one way digest) same (platform near10 (key or value or configurat\$3 or state or data or log or regist \$3) and (premaster or pre master) near5 (key or code or secret or pin or value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 13:11
L10	51	master near4(key or secret or code or pin or value) same (hash \$3 or one way digest) same (platform near10 (key or value or configurat\$3 or state or data or log or regist \$3) )	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 13:12
L11	0	"20050063544".pn. "7216369".pn. "4649233".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 13:29
L12	7	"20050063544".pn. "7216369".pn. "4649233".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 13:30
L13	5	platform near3 register same (hash43 digest) same (tpm trust\$3 near3 platform) same authenticat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 13:40
L14	70	platform near3 register and (hash43 digest) and (tpm trust\$3 near3 platform) and authenticat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 13:40
L15	1	(platform near3 register and (hash43 digest) and (tpm trust \$3 near3 platform) and authenticat\$3). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 13:41

L16	11	14 and 5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 13:41
L17	174	((trust\$3 near3 platform tpm) and (hash\$3 digest) and session near3 key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 13:43
L18	9	((trust\$3 near3 platform tpm) and (hash\$3 digest) and session near3 key). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 13:43
L19	0	((trust\$3 near3 platform tpm) and (hash\$3 digest) and session and authentical43).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 13:54
L20	8	((trust\$3 near3 platform tpm) and (hash\$3 digest) and session and authentical \$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 13:54
L21	9	(session near3 key and bind\$3 and communicat\$3 and channel ).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 14:16
S1	2	(generat\$3 or creat\$3 or mak\$3 or produc \$3) with master near4 (key or secret or code or pin or value) with (hash\$3 or one way) with (platform near10 (key or value or configurat\$3 or stateor data or log or regist \$3) and (premaster or pre master) near5 (key or code or secret or pin or value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/19 14:11

S2	2	(generat\$3 or creat\$3 or mak\$3 or produc\$3) same master near4 (key or secret or code or pin or value)same (hash\$3 or one way) same (platform near10 (key or value or configurat\$3 or state or data or log or regist\$3) and (premaster or pre master) near5 (key or code or secret or pin or value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/19 14:23
S3	0	(generat\$3 or creat\$3 or mak\$3 or produc\$3) sand master near4 (key or secret or code or pin or value)same (hash\$3 or one way) and (platform near10 (key or value or configurat\$3 or state or data or log or regist\$3) and (premaster or pre master) near5 (key or code or secret or pin or value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/19 14:31
S4	11	(generat\$3 or creat\$3 or mak\$3 or produc\$3) and master near4 (key or secret or code or pin or value)same (hash\$3 or one way) and (platform near10 (key or value or configurat\$3 or state or data or log or regist\$3) and (premaster or pre master) near5 (key or code or secret or pin or value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/19 14:34

S5	2	(generat\$3 or creat\$3 or mak\$3 or produc\$3) same (key or secret or code or pin or value) same (hash\$3 or one way) same ((platform or os or operating system) near10(key or value or configurat\$3 or state or data or log or regist\$3) and (premaster or pre master) near5 (key or code or secret or pin or value))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/19 14:55
S6	2	"7082615".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/19 14:57
S7	4	"20050063544".pn. or "20020184491".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/19 16:01
S8	19	(SMITH near NED M). in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/19 16:22
S9	17	((generat\$3 or creat\$3 or mak\$3 or produc\$3) or master near4 (key or secret or code or pin or value) or (hash\$3 or one way) with (platform near10(key or value or configurat\$3 or state or data or log or regist\$3) or (premaster or pre master) near5 (key or code or secret or pin or value))) and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/19 16:23

S10	0	hash\$3 with (paltform near5(key or value or identificat\$3 or id or state or configurat\$3)) and ((private or secret) near key or random or nonce or seed or pin or code or passcode or password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/19 19:05
S11	1542	((hash\$3 or digest or one way) same ((paltform or os or trusted platform or tpm) near8(key or value or identificat\$3 or id or state or configurat\$3)) and ((private or secret) near key or random or nonce or seed or pin or code or passcode or password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/19 19:06
S12	227	((hash\$3 or digest or one way) same ((paltform or trusted platform or tpm) near8 (key or value or identificat\$3 or id or state or configurat\$3)) and ((private or secret) near key or random or nonce or seed or pin or code or passcode or password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/19 19:07
S13	162	((hash\$3 or digest or one way) same ((paltform or trusted platform or tpm) near8 (key or value or identificat\$3 or id or state or configurat\$3)) and ((private or secret) near key or random or nonce or seed or pin or code or passcode or password) with (hash\$3 or digest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/19 19:07

S14	47	(trust\$3 platform module or tpm) same (master key or key or code ) with hash\$3 with ((PCR or platform configurat\$3 regist\$3) near8 (value or data or state or identifiat\$3 or key) or premaster key or pass code or pass phrase or password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/20 09:40
S15	47	(trust\$3 platform module or tpm) same (master key or key or code ) with (hash\$3 or re\$hash\$3) with ((PCR or platform configurat\$3 regist\$3) near8 (value or data or state or identifiat\$3 or key) or premaster key or pass code or pass phrase or password)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/20 11:17
S16	2	"20040098589".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/20 14:11
S17	2	"6886096".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/20 15:36
S18	62	(hash\$3 digest signature) with configuration near (data information log value) same (key secret ) same (generat\$3 deriv\$3 derivation calculat\$3 computing compute computed)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 10:34



S19	161	US-6647415-\$.DID. OR US-6633978-\$. DID. OR US-6625730- \$.DID. OR US- 6625729-\$.DID. OR US-6609204-\$.DID. OR US-6581162-\$. DID. OR US-6567901- \$.DID. OR US- 6505268-\$.DID. OR US-6502203-\$.DID. OR US-6477648-\$. DID. OR US-6470443- \$.DID. OR EP-0851335- \$.DID. OR EP-0674273- \$.DID. OR US- 3120001-\$.DID. OR US-6467048-\$.DID. OR US-6463495-\$. DID. OR US-6460121- \$.DID. OR US- 6442631-\$.DID. OR US-6418533-\$.DID. OR US-6401208-\$. DID. OR US-6400823- \$.DID. OR US- 6370649-\$.DID. OR US-6363449-\$.DID. OR US-6330674-\$. DID. OR US-6311273- \$.DID. OR US- 2820012-\$.DID. OR US-6308265-\$.DID. OR US-6298411-\$. DID. OR US-6288843- \$.DID. OR US- 6263431-\$.DID. OR US-6199167-\$.DID. OR US-6182892-\$. DID. OR US-6167538- \$.DID. OR US- 6134591-\$.DID. OR US-6131174-\$.DID. OR US-6125446-\$. DID. OR US-6119228- \$.DID. OR US- 6118589-\$.DID. OR US-6116509-\$.DID. OR US-5085299-\$. DID. OR US-6061794- \$.DID. OR US- 6057965-\$.DID. OR US-6032257-\$.DID. OR US-6026016-\$. DID. OR US-6009524-	US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/22 12:43
-----	-----	--	--	-----	----	---------------------

\$.DID. OR US-  
6003144-\$.DID. OR  
US-5974438-\$.DID.  
OR US-5974250-\$.  
DID. OR US-1020024-  
\$.DID. OR US-  
2820024-\$.DID. OR  
US-5960084-\$.DID.  
OR US-5955722-\$.  
DID. OR US-5953422-  
\$.DID. OR US-  
5949882-\$.DID. OR  
US-5944821-\$.DID.  
OR US-5923754-\$.  
DID. OR US-5909691-  
\$.DID. OR US-  
5887131-\$.DID. OR  
US-5859911-\$.DID.  
OR US-5853422-\$.  
DID. OR US-5850559-  
\$.DID. OR US-  
5848418-\$.DID. OR  
US-5844986-\$.DID.  
OR US-5822184-\$.  
DID. OR US-5778070-  
\$.DID. OR US-  
5748940-\$.DID. OR  
US-5748888-\$.DID.  
OR US-5737744-\$.  
DID. OR US-5668971-  
\$.DID. OR US-  
5592648-\$.DID. OR  
US-5586274-\$.DID.  
OR US-5522065-\$.  
DID. OR US-5490342-  
\$.DID. OR US-  
5440716-\$.DID. OR  
US-5408644-\$.DID.  
OR US-5363273-\$.  
DID. OR US-5333305-  
\$.DID. OR US-  
5331646-\$.DID. OR  
US-5271152-\$.DID.  
OR US-5249279-\$.  
DID. OR US-5224019-  
\$.DID. OR US-  
5175670-\$.DID. OR  
US-5159533-\$.DID.  
OR US-5101492-\$.  
DID.

S20	92	S19 and ((hash\$3 digest signature) or configuration near (data information log value) same (key secret )or (generat\$3 deriv\$3 derivation calculat\$3 computing compute computed))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 12:49
S21	203	(hash\$3 digest signature) with (configuration near5 (data information log value file value) or platform near7 (id identificat\$3 register)) same (key secret ) same (generat\$3 deriv\$3 derivation calculat\$3 comput\$3 or produc\$3 provid\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 13:00
S22	2	"7382880".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 13:16
S23	2	"6886096".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 13:24
S24	62	(concatenat\$3 combin\$3 mix\$3) same (hash\$3 digest) same (platform near5 (key identificat\$3 id register value data) configurat\$3 near4 (state or identificat\$3 or master secret))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 13:30
S25	2	"20050025311".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/22 15:49

S26	0	(hash\$3 digest) same platform near5 configurat\$3 with (secret key pre near3 mater adj key) same (session symmetric ) near3 key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 11:21
S27	0	(hash\$3 digest) same platform near5 (configurat\$3 identit\$3 key ) same bind\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/13 11:23
S28	21	(hash\$3 digest) same platform near5 (configurat\$3 identit\$3 key ) same bind\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:23
S29	0	(hash\$3 digest) same platform near5 register same communicat\$3 near8 channel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/13 11:40

3/13/2009 2:19:33 PM

C:\Documents and Settings\fraore\My Documents\EAST\Workspaces  
 \10808973\_UserandPlatformAuthenticationafterRCE.wsp